

Behind-the-Kerb B Class Applications Tasmania



TERRA FIRMA PIT LIDS



Green Point Rd, Bridgewater, Tasmania, Australia



Client: Brighton City Council

Project Overview:

Project:

Brighton Council – Routine Maintenance & Pit Lid Upgrade Program

Problem:

Vandalism, unauthorised removal of concrete insert.

High levels of breakage & OH&S risks associated with lifting heavy, broken concrete lids out of pits.

Need:

Lockable, lightweight, easy to install, strong pit lids

Solution:

Terra Firma TF5235 B-80 B Class Lid with reinforced exposed 10mm Plate/ Lintel

Cover weight 26kg

NATA tested to AS3996 Class B (80kN).

Frame sized to match existing external concrete surround dimensions.



TERRA FIRMA PIT LIDS



Green Point Rd, Bridgewater, Tasmania, Australia



Client: Brighton City Council

Project Overview:

Project:

Brighton Council – Routine Maintenance & Pit Lid Upgrade Program

Problem:

Vandalism, unauthorised removal of concrete insert.

High levels of breakage & OH&S risks associated with lifting heavy, broken concrete lids out of pits.

Need:

Lockable, lightweight, easy to install, strong pit lids

Solution:

Terra Firma TF5235 B-80 B Class Lid with reinforced exposed 10mm Plate/ Lintel

Cover weight 26kg

NATA tested to AS3996 Class B (80kN).

Frame sized to match existing external concrete surround dimensions.



TERRA FIRMA PIT LIDS



Brighton Council Tasmania- Pit Lid Upgrade Program


Additional Installation Locations



Street Beautification – Elderslie Rd



Industrial Zone – Cowles St



Footpath Widening – Midlands Hwy



Midway Point, Tasmania, Australia



Client: Sorell Council, Tasmania

Project Overview:

Project:

Sorell Council – Footpath Upgrade Program

Problem:

- OH&S risks associated with lifting heavy broken concrete lids out of pits.
- Requirements for mechanical lifting devices when lifting concrete lids.
- Breakages when replacing concrete lids.

Need:

Lockable, lightweight, easy to install, strong pit lids.

Solution:

- Terra Firma TF5235 B-80** B Class Lid with reinforced exposed 10mm Plate/ Lintel
- Cover weight 26kg
- NATA tested to AS3996 Class B (80kN).
- Frame sized to match existing external concrete surround dimensions.



TERRA FIRMA PIT LIDS



Kingborough Council, Retro-Fit Installations



Client: Kingborough Council, Tasmania, Australia

Project Overview:

Project:

Kingborough Council – Retro-fit Installations

Problem:

Vandalism, unauthorised removal of concrete inserts.

High levels of breakage & OH&S risks associated with lifting heavy broken concrete lids out of pits.

Need:

Lockable, lightweight, easy to install, strong pit lids

Solution:

Terra Firma TF5235 B-80 B Class Lid with reinforced exposed 10mm Plate/ Lintel
Cover weight 26kg

NATA tested to AS3996 Class B (80kN).

Frame sized to match existing external concrete surround dimensions.



TERRA FIRMA PIT LIDS



Launceston Pit Lid Upgrade Program



Client: Launceston City Council, Tasmania, Australia

Project Overview:

Project:

Launceston Council – Pit Lid Upgrade Program

Problem:

OH&S risks associated with lifting heavy concrete lids.
Requirements for mechanical lifting devices when lifting concrete lids.
Breakages when replacing concrete lids.

Need:

Lockable, lightweight, easy to install, strong pit lids.

Solution:

Terra Firma B-80 B Class Lid

Cover weight 25kg

NATA tested to AS3996 Class B (80kN).

Frame sized to match existing concrete rebate.



TERRA FIRMA PIT LIDS



CONTACT DETAILS



Terra Firma Industries
257 Holt Parade,
Thomastown VIC 3074

Phone: 03 9464 6169
Fax: 03 9464 0522

Email: info@terrafirmapitlids.com
Web: www.terrafirmapitlids.com



Geotas Civil Engineering & Design
14 Chesterman St,
Moonah, TAS 7009

Phone: 03 6273 0511
Fax: 03 6273 0511

Email: craig@geotas.com
Web: www.geotas.com

TERRA FIRMA PIT LIDS